

Industrijski točkovi TEHNOROLER

Zemlja porekla: Grčka



4001

● Rubber caster with steel core, roller bearing

75×20		50	94	28	70×59	53×40	8.5	4001-75
85×25		60	105	32	102×84	72×60	9×14	4001-85
100×30		70	121.5	32	102×84	72×60	9×14	4001-100
125×37		100	150	35	102×84	72×60	9×14	4001-125
150×40		130	190	50	131×104	105×77	11×16	4001-150
160×40		145	192	52	131×104	105×77	11×16	4001-160
200×50		185	233	52	131×104	105×77	11×16	4001-200
250×50		210	282	52	131×104	105×77	11×16	4001-250

A:4001	Točak okretni, crna guma		
	nosivost 50 kg	Ø 75	269.00
	nosivost 60 kg	Ø 85	409.00
	nosivost 70 kg	Ø 100	466.00
	nosivost 100 kg	Ø 125	604.00
	nosivost 145 kg	Ø 160	988.00
	nosivost 185 kg	Ø 200	1185.00
	nosivost 210 kg	Ø 250	1781.00



4002

● Rubber caster with steel core, roller bearing

75×20		50	94	70×61	53×40	8.5×11		4002-75
85×25		60	105	100×82	71×60	9×14		4002-85
100×30		70	121.5	100×85	72×60	9×14		4002-100
125×37		100	150	104×83	72×60	9×14		4002-125
150×40		130	190	130×95	103×73	11×16		4002-150
160×40		145	192	130×95	103×73	11×16		4002-160
200×50		185	233	130×95	103×73	11×16		4002-200
250×50		210	282	130×95	103×73	11×16		4002-250

A:4002	Točak stabilni, crna guma		
	nosivost 50 kg	Ø 75	236.00
	nosivost 60 kg	Ø 85	299.00
	nosivost 70 kg	Ø 100	380.00
	nosivost 100 kg	Ø 125	548.00
	nosivost 145 kg	Ø 160	779.00
	nosivost 185 kg	Ø 200	996.00
	nosivost 210 kg	Ø 250	



➤4003

● Rubber caster with steel core, roller bearing

75×20		50	94	28	70×59	53×40	8.5	4003-75
100×30		70	121.5	32	102×84	72×60	9×14	4003-100
125×37		100	150	35	102×84	72×60	9×14	4003-125
160×40		145	192	52	131×104	105×77	11×16	4003-160
200×50		185	233	52	131×104	105×77	11×16	4003-200

A:4003	Točak okretni, sa kočnicom, crna guma		
	nosivost 50 kg	Ø 75	330.00
	nosivost 70 kg	Ø 100	564.00
	nosivost 100 kg	Ø 125	708.00
	nosivost 145 kg	Ø 160	1190.00
	nosivost 185 ka	Ø 200	1350.00



➤1080

● Rubber loose wheel mold on cast iron, roller bearing

100×40		120	48	11	1080-100-1
125×40		150	48	13	1080-125-1
100×50		150	61.5	13	1080-100
125×50		180	61.5	13	1080-125
152×50		250	61.5	13	1080-152
200×50		300	61.5	13	1080-200

A:1080	Točak rezervni, povećane nosivosti,		
	nosivost 150 kg	Ø 100	890.00
	nosivost 180 kg	Ø 125	1190.00
	nosivost 250 kg	Ø 160	1225.00
	nosivost 300 kg	Ø 200	1399.00



➤1081

● Caster with rubber mold on cast iron wheel, roller bearing; double ball bearings is available

100×50		130	135	115×100	85×73	20×11	1081-100		
125×50		160	159	115×100	85×73	20×11	1081-125		
150×50		230	189	115×100	85×73	20×11	1081-150	1081-150-1	
200×50		280	237	115×100	85×73	20×11	1081-200	1081-200-1	

A:1081	Točak stabilni, povećane nosivosti, crna guma		
	nosivost 100 kg	Ø 100	1612,00
	nosivost 120 kg	Ø 125	1855,00
	nosivost 230 kg	Ø 150	1998,00
	nosivost 300 kg	Ø 200	2509,00



➤1083

● Caster with rubber mold on cast iron wheel, roller bearing;double ball bearings is available

			kg							(Roller bearing)	(Double ball bearings)
100×50			130	135	20	115×100	85×73	20×11		1083-100	
125×50			160	159	30	115×100	85×73	20×11		1083-125	
150×50			230	189	36	115×100	85×73	20×11		1083-150	1083-150-1
200×50			280	237	39.5	115×100	85×73	20×11		1083-200	1083-200-1

A:1083	Točak okretni, povećane nosivosti, crna guma		
	nosivost 130 kg	Ø 100	1979,00
	nosivost 160 kg	Ø 125	2232,00
	nosivost 230 kg	Ø 150	2379,00
	nosivost 280 kg	Ø 200	2855,00



➤1084

● Caster with rubber mold on cast iron wheel, roller bearing;double ball bearings is available

			kg							(Roller bearing)	(Double ball bearings)
100×50			130	135	20	115×100	85×73	20×11		1084-100	
125×50			160	159	30	115×100	85×73	20×11		1084-125	
150×50			230	189	36	115×100	85×73	20×11		1084-150	1084-150-1
200×50			280	237	39.5	115×100	85×73	20×11		1084-200	1084-200-1

A:1084	Točak okretni sa kočnicom,povećane nosivosti, crna guma		
	nosivost 130 kg	Ø 100	2218,00
	nosivost 160 kg	Ø 125	2300,00
	nosivost 230 kg	Ø 150	2688,00
	nosivost 280 kg	Ø 200	3194,00



➤1041

● Caster with pu mold on cast iron wheel,roller bearing

		kg					
100X50		230	115X100	85X73	20X11	135	1041A-100
125X50		280	115X100	85X73	20X11	159	1041A-125
152X50		360	115X100	85X73	20X11	189	1041A-152
200X50		460	115X100	85X73	20X11	235	1041A-200

A:1041	Točak stabilni, velike nosivosti, crveni		
	nosivost 230 kg	Ø 100	1600,00
	nosivost 280 kg	Ø 125	2221,00
	nosivost 360 kg	Ø 152	2568,00
	nosivost 460 ka	Ø 200	3419,00



● Caster with PU mold on cast iron wheel, roller bearing

100×50		230	135	115×100	85×73	20×11	1042-100
125×50		280	159	115×100	85×73	20×11	1042-125
152×50		360	189	115×100	85×73	20×11	1042-152
200×50		460	235	115×100	85×73	20×11	1042-200

➤1042

A:1042	Točak stabilni sa kočnicom velike nosivosti, crveni		
	nosivost 230 kg	Ø 100	1790,00
	nosivost 280 kg	Ø 125	1845,00
	nosivost 360 kg	Ø 152	1978,00
	nosivost 460 ka	Ø 200	2721,00



● Caster with PU mold on cast iron wheel, roller bearing

								
100×50		230	135	20	115×100	85×73	20×11	1043-100
125×50		280	159	30	115×100	85×73	20×11	1043-125
152×50		360	189	31	115×100	85×73	20×11	1043-152
200×50		460	235	39.5	115×100	85×73	20×11	1043-200

➤1043

A:1043	Točak okretni, velike nosivosti, crveni		
	nosivost 230 kg	Ø 100	2273,00
	nosivost 280 kg	Ø 125	2655,00
	nosivost 360 kg	Ø 152	3028,00
	nosivost 460 ka	Ø 200	3873,00



● Caster with PU mold on cast iron wheel, roller bearing

								
100×50		230	135	20	115×100	85×73	20×11	1044-100
125×50		280	159	30	115×100	85×73	20×11	1044-125
152×50		360	189	31	115×100	85×73	20×11	1044-152
200×50		460	235	39.5	115×100	85×73	20×11	1044-200

➤1044

A:1044	Točak okretni sa kočnicom, velike nosivosti, crveni		
	nosivost 230 kg	Ø 100	2300,00
	nosivost 280 kg	Ø 125	2939,00
	nosivost 360 kg	Ø 152	3355,00
	nosivost 460 ka	Ø 200	4194.00

● Grey rubber caster with steel core, roller bearing



↗4021

								
75×20		50	94	28	70×59	53×40	8.5	4021-75
85×25		60	105	32	102×84	72×60	9×14	4021-85
100×30		70	121.5	32	102×84	72×60	9×14	4021-100
125×37		100	150	35	102×84	72×60	9×14	4021-125
150×40		130	190	50	131×104	105×77	11×16	4021-150
160×40		145	192	52	131×104	105×77	11×16	4021-160
200×50		185	233	52	131×104	105×77	11×16	4021-200

A:4021	Točak okretni-siva guma-ne ostavlja trag		
	nosivost 70 kg	Ø 100	650,00
	nosivost 100 kg	Ø 125	1030,00
	nosivost 145 kg	Ø 160	1490,00
	nosivost 185 ka	Ø 200	1959.00

● Grey rubber caster with steel core, roller bearing



↗4022

75×20			50	94	70×61	53×40	8.5×11	4022-75
85×25			60	105	100×82	71×60	9×14	4022-85
100×30			70	121.5	100×85	72×60	9×14	4022-100
125×37			100	150	104×83	72×60	9×14	4022-125
150×40			130	190	130×95	103×73	11×16	4022-150
160×40			145	192	130×95	103×73	11×16	4022-160
200×50			185	233	130×95	103×73	11×16	4022-200

A:4022	Točak stabilni-siva guma-ne ostavlja trag		
	nosivost 70 kg	Ø 100	580,00
	nosivost 100 kg	Ø 125	951,00
	nosivost 145 kg	Ø 160	1450,00
	nosivost 185 ka	Ø 200	1800.00



4023

● Grey rubber caster with steel core, roller bearing

75×20		50	94	28	70×59	53×40	8.5	4023-75
100×30		70	121.5	32	102×84	72×60	9×14	4023-100
125×37		100	150	35	102×84	72×60	9×14	4023-125
160×40		145	192	52	131×104	105×77	11×16	4023-160
200×50		185	233	52	131×104	105×77	11×16	4023-200

A:4023	Točak okretni sa kočnicom-siva guma-ne ostavlja trag		
	nosivost 70 kg	Ø 100	820,00
	nosivost 100 kg	Ø 125	1135,00
	nosivost 145 kg	Ø 160	1750,00
	nosivost 185 kg	Ø 200	2200,00



4024

● Grey rubber caster with steel core, roller bearing

75×20		50	10.5	92	28	4024-75
85×25		60	10.5	103	32	4024-85
100×30		70	12.5	118	32	4024-100
125×37		100	12.5	149	35	4024-125

A:4024	Točak okretni sivi sa rupom		
	nosivost 70 kg	Ø 100	750,00
	nosivost 100 kg	Ø 125	900,00



4025

● Grey rubber caster with steel core, roller bearing

75 × 20		50	10.5	92	28	4025-75
100 × 30		70	12.5	118	32	4025-100
125 × 37		100	12.5	149	35	4025-125

A:4025	Točak okretni sa kočnicom, sivi, sa rupom		
	nosivost 70 kg	Ø 100	850,00
	nosivost 100 kg	Ø 125	1105,00



➤2026

● Hard rubber caster, plain bearing

100×38	=	130	105×80	67×52	19.5×9.6	131	37	2026-100

A:2026	Točak okretni sa kočnicom, crna guma		1200,00
	nosivost 130 kg	Ø 100	0



➤2027

100×38	=	130	135	20	105×80	67×52	19,5×9,6	2027-100

A:2027	Točak okretni, crna guma		
	nosivost 130 kg	Ø 100	1050,00

● TPR caster with PP core, ball bearing



➤4201

77×32		100	111	43	95×67	73×45	10.5×8.5	4201-77
					106×80	80×60	20×10	
101×32		150	135	40	95×67	73×45	10.5×8.5	4201-101
					106×80	80×60	20×10	
126×32		180	162	40	95×67	73×45	10.5×8.5	4201-126
					106×80	80×60	20×10	

A:4201	Točak okretni termoplastik, sivi		
	nosivost 150 kg	Ø 101	880,00
	nosivost 180 kg	Ø 126	999,00

● TPR caster with PP core, ball bearing



➤4202

77×32		100	111	95×67	73×45	10.5×8.2		4202-77
101×32		150	135	95×67	73×45	10.5×8.2		4202-101
126×32		180	162	95×67	73×45	10.5×8.2		4202-126
				106×80	80×60	20×10		

A:4202	Točak stabilni termoplastik		
	nosivost 150 kg	Ø 101	550,00
	nosivost 180 kg	Ø 126	750,00

● TPR caster with PP core, ball bearing



➤4203

77×32			100	111	43	95×67 106×80	73×45 80×60	10.5×8.5 20×10	4203-77
101×32			150	135	40	95×67 106×80	73×45 80×60	10.5×8.5 20×10	4203-101
126×32			180	162	40	95×67 106×80	73×45 80×60	10.5×8.5 20×10	4203-126

A:4203	Točak okretni sa kočnicom termoplastik		
	nosivost 150 kg	Ø 101	950,00
	nosivost 180 kg	Ø 126	850,00



➤4086

● PP sandwich caster, roller bearing

100×32			110	121.5	32	102×84	72×60	9×14	4086-100
125×35			150	149	35	102×84	72×60	9×14	4086-125

A:4086	Točak okretni antistatik najlon		
	nosivost 150 kg	Ø 125	930,00



➤4087

● PP sandwich caster, roller bearing

100×32			110	121.5	32	100×85	72×60	9×14	4087-100
125×35			150	149	35	104×83	72×60	9×14	4087-125

A:4087	Točak stabilni antistatik najlon		
	nosivost 150 kg	Ø 125	920,00

● Nylon caster with PP core, plain bearing and roller bearing



3025

50×20	==		50	10.5	68	24	3025-50
75×23.5	==		90	10.5	98	28	3025-75
100×30		==	145	10.5/12.5	131.5	37	3025-100
125×30		==	180	10.5/12.5	154.5	45	3025-125

A:3025	Točak okretni najlon sa rupom	
	nosivost 145 kg	Ø 100 690,00
	nosivost 180 kg	Ø 125 790,00

● Nylon caster with PP core, plain bearing and roller bearing



3026

50×20	==		50	10.5	68	16	3026-50
75×23.5	==		90	10.5	98	32	3026-75
100×30		==	145	10.5/12.5	131.5	35	3026-100
125×30		==	180	10.5/12.5	154.5	41	3026-125

A:3026	Točak okretni sa kočnicom, najlon sa rupom	
	nosivost 145 kg	Ø 100 720,00
	nosivost 180 kg	Ø 125 850,00



3027

● Nylon caster with PP core, plain bearing and roller bearing

50×20	==		50	68	24	M10×30	3027-50
75×23.5	==		90	98	28	M12×25	3027-75
100×30		==	145	131.5	37	M12×25	3027-100
125×30		==	180	154.5	45	M12×25	3027-125

A:3027	Točak beli sa navojem M-12, najlon	
	nosivost 145 kg	Ø 100 599,00
	nosivost 180 kg	Ø 125 999,00



3028

● Nylon caster with PP core, plain bearing and roller bearing

50×20			50	68	16	M10×30	3028-50
75×23.5			90	98	32	M12×25	3028-75
100×30			145	131.5	35	M12×25	3028-100
125×30			180	154.5	41	M12×25	3028-125

A:3028	Točak okretni sa kočnicom, beli najlon, sa navojem M-12		
	nosivost 145 kg	Ø 100	820,00
	nosivost 180 kg	Ø 125	1190,00



TWP

30x29		15	46	11	30x30	20x20	4 TWP-30
35x36		20	50	13	38x38	26x26	5 TWP-35
40x41		25	54	14	38x38	26x26	5 TWP-40
50x48		30	61	16	38x38	26x26	5 TWP-50

A:TWP	Točak za nameštaj sa pločicom-crni-PVC		
	nosivost 25kg	Ø 40	79,00
	nosivost 30 kg	Ø 50	90,00



TWT

30x29		15	46	11	M8x15	TWT-30
35x36		20	50	13	M8x15	TWT-35
40x41		25	54	14	M8,M10.1/2x15	TWT-40
50x48		30	61	18	M8,M10.1/2x15	TWT-50

A:TWT	Točak za nameštaj sa navojem-crni-PVC		
	nosivost 25kg	Ø 40	78,00
	nosivost 30 kg	Ø 50	93,00

● Zinc-Alloyed caster, plain bearing, Chrome plated

50		40	55	16	M10×25	2048-50



A:2048	Točak za nameštaj, Ni, sa navojem		
	nosivost 40 kg	Ø 50	



2028

● Rubber caster, plain bearing

50×22	≡	30	58×48	46×35	6.3	65	21	2028-50
75×28	≡	60	70×59	53×40	8.5	94	28	2028-75
100×33	≡	80	102×84	72×60	9×14	120	33.5	2028-100
125×37	≡	100	102×84	72×60	9×14	147	39	2028-125

A:2028	Točak okretni sa pločicom crna guma		
	nosivost 20 kg	Ø 40	110,00
	nosivost 30 kg	Ø 50	135,00
	nosivost 40 kg	Ø 65	136,00
	nosivost 60 ka	Ø 75	239,00



2029

● Rubber caster, plain bearing

50×22	≡	30	58×40	43.5×23.5	6.3	65	2029-50
75×28	≡	60	70×61	53×40	8.5×11	94	2029-75

A:2029	Točak stabilni sa pločicom crna guma		
	nosivost 40 kg	Ø 40	90,00
	nosivost 60 kg	Ø 50	120,00



2044

● Nylon caster, plain bearing; PP caster is also available

40×17	≡	35	48	18	3/8×15	2044-40
50×25	≡	45	63	21	1/2×15	2044-50

A:2044	Točak okretni sa navojem za TA peć		
	nosivost 45 kg	Ø 50	184,00

● TPR twin-wheel caster with PP core, ball bearing

75×25	≡	150	77×67	55×48	16×8.5	101	34
							2050-75



2050

A:2050	Točak okretni termoplastik dupli		
	nosivost 150 kg	Ø 75	789,00



2051

● TPR twin-wheel caster with PP core, ball bearing

75×25		150	77×67	55×48	16×8.5	101	31	2051-75

A:2051	Točak okretni sa kočnicom termoplastik dupli		
	nosivost 150 kg	Ø 75	799,00



2060

● TPR twin-wheel caster with PP core, plain bearing

50×17.5		70	71	32	M12×25	2060-50

A:2060	Točak okretni sa navojem M-12 dupli		
	nosivost 70 kg	Ø 50	360,00

● Rubber loose wheel with steel core, roller bearing



4000

75×20		50	33	11.5	4000-75
85×25		60	33	11.5	4000-85
100×30		70	37	11.5	4000-100
125×37		100	44	15	4000-125
150×40		130	55	20	4000-150
160×40		145	55	20/25	4000-160
200×50		185	57	20/25	4000-200

A:4000	Točak rezervni, crna guma		
	nosivost 50 kg	Ø 75	119,00
	nosivost 60 kg	Ø 85	156,00
	nosivost 70 kg	Ø 100	198,00
	nosivost 100 kg	Ø 125	229,00
	nosivost 145 kg	Ø 160	599,00
	nosivost 185 kg	Ø 200	769,00



71100

● Rubber caster with steel core, double ball bearings

								
160X50		150	135X110	105X80	11X18	197	53.5	B-1100-160
206X58		235	135X110	105X80	11X18	241	57	B-1100-206

A:1100	Točak puna guma		
	nosivost 150 kg	Ø 160	989,00
	nosivost 235 kg	Ø 206	1399,00



71040

● PU loose wheel mold on cast iron, roller bearing

					
100×50		230	61.5	13	1040-100
125×50		280	61.5	13	1040-125
152×50		360	61.5	13	1040-152
200×50		460	61.5	13	1040-200

A:1040	Točak rezervni, velike nosivosti, crveni		
	nosivost 230 kg	Ø 100	1200,00
	nosivost 280 kg	Ø 125	1450,00
	nosivost 360 kg	Ø 152	1700,00
	nosivost 460 kg	Ø 200	2350,00



74096

● PU caster with PP core, ball bearing

						
77×32		100	109	43	M12×30	4096-77
101×32		150	133	40	M12×30	4096-101
126×32		200	160	40	M12×30	4096-126

A:4096	Točak okretni termoplastik, sa navojem		
	nosivost 200 kg	Ø 126	1050,00



● PU caster with PP core, ball bearing

77×32		100	109	43	M12×30	4097-77
101×32		150	133	40	M12×30	4097-101
126×32		200	160	40	M12×30	4097-126

➤4097

A:4097	Točak okretni sa kočnicom, termoplastik, sa navojem	
	nosivost 200 kg	Ø 126
		1257,00



● TPR ball caster with PP core, plain bearing

40	40	M10×15	52	16	2110-40
50	60	M10×15	60	25	2110-50

➤2110

A:2110	Točak okretni, gumeni sa navojem M-10	
	nosivost 40 kg	Ø 40
	nosivost 60 kg	Ø 50
		129,00
		169,00



● TPR ball caster with PP core, plain bearing

40	40	38×38	27×27	5.2	52	16	2109-40
50	60	38×38	27×27	5.2	60	25	2109-50

➤2109

A:2109	Točak okretni, gumeni sa plocom	
	nosivost 40 kg	Ø 40
	nosivost 60 kg	Ø 50
		129,00
		163,00



● TPR ball caster with PP core, plain bearing

						
40		40	9.2×38	52	16	2112-40
50		60	9.2×38	60	25	2112-50

A:2111	Točak za fotelje		
	nosivost 60 kg	Ø 50	160,00



71153

● Scaffolding caster with rubber mold on cast iron wheel, roller bearing (w/solid stem)

						
125×50		160	155	33	25/35x100	1153-125
152×50		230	192	44	25/35x100	1153-152
200×50		280	236	50	35x100	1153-200

A:1153	Točak za skelu sa kočnicom		
	nosivost 300 kg	Ø 200	3452,00



74008

● Rubber caster with steel core, roller bearing

						
75×20		50	92	28	M12×30	4008-75

A:4008	Točak okretni sa navojem		
	nosivost 50 kg	Ø 75	319,00



74009

● Rubber caster with steel core, roller bearing

75×20		50	92	28	M12×30	4009-75

A:4009	Točak okretni sa kočnicom i sa navojem		
	nosivost 50 kg	Ø 75	399,00



72012

● Hard rubber caster, plain bearing

38×24		40	61×44	49×23	6.3	49	15	2012-38
50×23		60	66×48	54×24	6.3	65	16	2012-50

A:2012	Točak okretni, gumeni sa plocom		
	nosivost 40 kg	Ø 38	149,00
	nosivost 60 kg	Ø 50	217,00



72013

● Hard rubber caster, plain bearing

38×24		40	61×38	49×23	6.3	49	2013-38
50×25		60	66×42	54×24	6.3	65	2013-50

A:2013	Točak stabilni, gumeni sa plocom		
	nosivost 40 kg	Ø 38	120,00
	nosivost 60 kg	Ø 50	170,00



2066

● PP twin-wheel caster, plain bearing; Nylon twin-wheel caster is also available

50x17	=	80	71	32	M12x25	2066-50

A:2066	Točak okretni, dupli sa navojem M12x25	
	nosivost 80 kg, pogodan za TA peći	Ø 50 249,00



2076

● Nylon twin-wheel caster with PP core, plain bearing

● PU twin-wheel caster with PP core is also available

50x18	=	100	71	32	M12x25	2076-50

A:2076	Točak okretni, dupli, sivi sa navojem M12x25	
	nosivost 100 kg, pogodan za TA peći Ø 50	289,00



6601

● Nylon caster, ball bearing

100X36		250	105X88	80X60	9X10.5	129	6601-100
125X38		300	105X88	80X60	9X10.5	154	6601-125

6601-100 Točak stabilni sa ploč.	
najlon nosivost 250 kg	899,00
6601-125 Točak stabilni sa ploč.	
najlon nosivost 300 kg	990,00



➤6602

Nylon caster, ball bearing

100X36			250	106X86	80X60	9.5X11.5	128	36	6602-100
125X38			300	106X86	80X60	9.5X11.5	153	39	6602-125

6602-100 Točak okretni sa ploč.

najlon nosivost 250 kg

930,00

6602-125 Točak okretni sa ploč.

najlon nosivost 300 kg

1090,00



➤6603

● Nylon caster, ball bearing

100X36			250	106X86	80X60	9.5X11.5	128	40	6603-100
125X38			300	106X86	80X60	9.5X11.5	153	39	6603-125

6603-100 Točak sa kočn.sa ploč.

najlon nosivost 250 kg

1100,00

6603-125 Točak sa kočn.sa ploč.

najlon nosivost 300 kg

1365,00



➤6702

● PU caster mold on cast aluminium, ball bearing

100X36			200	106X86	80X60	9.5X11.5	128	36	6702-100
125X38			300	106X86	80X60	9.5X11.5	153	39	6702-125

6702-100 Točak crveni Al felna okret.

sa ploč.nosivost 250 kg

1595,00

6702-125 Točak crveni Al felna okret.

sa ploč.nosivost 300 kg

1969,00



➤6703

● PU caster mold on cast aluminium, ball bearing

100X36			200	106X86	80X60	9.5X11.5	128	40	6703-100
125X38			300	106X86	80X60	9.5X11.5	153	39	6703-125

6703-100 Točak crveni Al felna sa

koč.okretni sa ploč.nosivost 250 kg

1450,00

6703-125 Točak crveni Al felna sa

koč.okretni sa ploč.nosivost 300 kg

2167,00



6701

● PU caster mold on cast aluminium, ball bearing

100X36		200	105X88	80X60	9X10.5	129	6701-100	
125X38		300	105X88	80X60	9X10.5	154	6701-125	

6701-100 Točak stabilni Al felna sa ploč.nosivost 250 kg

1450,00

6701-125 Točak stabilni Al felna sa ploč. nosivost 300 kg

1680,00



● Heavy duty twin-wheel caster, Rubber wheel with aluminium center, four ball bearings

152x50		800	174x174	140x140	15	206	59	1202-152
200x50		1000	174x174	140x140	15	250	62	1202-200

1202-152 Točak dupli Al felna,okret. sa ploč,crni točak, nosivost 800 kg

5800,00

1202-200 Točak dupli Al felna,okret. sa ploč,crni točak, nosivost 1000kg

7730,00



● Heavy duty twin-wheel caster, PU wheel with cast iron center, four ball bearings

152x50		1000	174x174	140x140	15	206	59	1203-152
200x50		1200	174x174	140x140	15	250	62	1203-200

1203-152 Točak dupli,čelič.felna okret.crveni točak,nosiv. 1000 kg

5557,00

1203-200 Točak dupli,čelič.felna okret.crveni točak,nosiv. 1200 kg

8200,00

● Heavy duty twin wheel caster, elastic rubber wheel with nylon core, ball bearing

160X50		800	174X174	140X140	15	210	59	1205-160
200X50		1000	174X174	140X140	15	250	62	1205-200



● Heavy duty caster, rubber wheel with steel center, ball bearing

200X80		600	174X174	140X140	15	250	62	1207-200

1207-200 Točak, crna guma, čelična felna, okretni, nosivost 600 kg

7500,00



160X50		800	174X174	140X140	15	210	59	1205-160
200X50		1000	174X174	140X140	15	250	62	1205-200

1205-160 Točak dupli, najlon guma okretni nosivosti 800kg

6000,00

1205-200 Točak dupli, najlon guma okretni nosivosti 1000kg

6800,00



12054

● TPR twin-wheel caster with PP core, ball bearing

75X25		150	104	34	M12X25	2054-75	

2054-50 Točak dupli, okretni siva guma, sa navojem, nosiv. 90kg

399,00

2054-75 Točak dupli, okretni siva guma, sa navojem, nosiv. 150kg

699,00

● TPR twin-wheel caster with PP core, ball bearing



2055

**2055-50 Točak dupli sa kočnicom
siva guma,sa navojem,nosiv.90kg**

620,00

**2055-75 Točak dupli sa kočnicom
siva guma,sa navojem,nosiv.150kg**

790,00



● PP caster, plain bearing



2010

38×24		50	61×44	49×23	6.3	51	15	2010-38
50×25		60	66×48	54×24	6.3	65	16	2010-50
63×28		80	98×70	76×44	8.5	82	28	2010-63

**2010-38 Točak okretni sa ploč.pol.
propilen beli,nosiv.50 kg**

139,00

**2010-50 Točak okretni sa ploč.pol.
propilen beli,nosiv.60 kg**

199,00



2011

● PP caster, plain bearing

38×24		50	61×38	49×23	6.3	51	2011-38
50×25		60	66×42	54×24	6.3	65	2011-50
63×28		80	98×55	85×25	8.5	82	2011-63

**2011-38 Točak stabilni sa ploč.pol.
propilen beli,nosiv.50 kg**

95,00

**2011-50 Točak stabilni sa ploč.pol.
propilen beli,nosiv.60 kg**

179,00



- PC caster, plain bearing
(stainless steel bracket is available)

50X18	=	50	60×60/50×50	43×43/35×35	13×6.3/12×6.3	69.5	24	3203-50

3203-50 Točak okretni sa ploč.pol.
propilen transparentni, nosiv.50 kg
267,00



- PC caster, plain bearing
(stainless steel bracket is available)

50X18	=	50	60×60/50×50	43×43/35×35	13×6.3/12×6.3	69.5	18	3204-50

3204-50 Točak okretni sa pločicom I kocnicom.pol.
propilen transparentni, nosiv.50 kg
329,00



- PC caster, plain bearing
(stainless steel bracket is available)

50X18	=	50	10.5	68	24	3205-50

3205-50 Točak okretni sa rupom .
propilen transparentni, nosiv.50 kg
279,00



- PC caster, plain bearing
(stainless steel bracket is available)

50X18	==	kg 50	10.5	68	18	3206-50	

3206-50 Točak okretni sa rupom I kocnicom.
propilen transparentni, nosiv.50 kg

260,00



- Nylon Roller with double ball bearings

80x55		350	55	20	R02-1-55
80x70		400	70	20	R02-1-70

R02-1-70 Točak za paletar, nosivost 400 kg

750,00

3013

Okretni točak od termoplastik gume, sa polipropilenskim centrom, bez ležajeva.



- TPR caster with PP core, plain bearing

50x20	==	kg 40	60x60/50x50	43x43/35x35	13x6.3/12x6.3	69.5	24 3013-50

3013

Tocak 3013050 nosivost 40kg

299,00

3014

Okretni točak sa kočnicom od termoplastik gume, sa polipropilenskim centrom, bez ležajeva.



● TPR caster with PP core, plain bearing

50×20	=	40	60×60/50×50	43×43/35×35	13×6.3/12×6.3	69.5	22	73	3014-50

➤3014

Tocak 3014050 nosivost 40kg

229,00

3011

Fiksni točak od termoplastik gume sa polipropilenskim centrom, bez ležajeva.



● TPR caster with PP core, plain bearing

50×20	=	40	60×60	43×43	13×6.3	69.5	3011-50

➤3011

Tocak 3011050 nosivost 40kg

149,00

3015

Okretni točak od termoplastik gume, sa polipropilenskim centrom, bez ležajeva.



● TPR caster with PP core, plain bearing

50×20	=	40	10.5	68	24	3015-50

➤3015

Tocak 3015050 nosivost 40kg

179.00

3016

Okretni točak sa kočnicom od termoplastik gume, sa polipropilenskim centrom, bez ležajeva.



➤3016

● TPR caster with PP core, plain bearing

50×20		40	10.5	68	22	73	3016-50

Tocak 3016050 nosivost 40kg

210,00

4061

Točak od najlona sa valjkastim ležajevima, sa pločicom



➤4061

● Nylon caster, roller bearing

75X32		80	94	28	70×59	53×40	8.5	4061-75
100×32		150	121.5	34	102×84	72×60	9×14	4061-100
125×38		180	150	35	102×84	72×60	9×14	4061-125
152×40		250	188	48	131×104	105×77	11×16	4061-152

Tocak 4061075 nosivost 80kg 270,00

Tocak 4061100 nosivost 150kg 450,00

Tocak 4061125 nosivost 180kg 650,00

Tocak 4061152 nosivost 250kg 1150,00

4062

Točak od najlona sa valjkastim ležajevim, stabilni



➤4062

● Nylon caster, roller bearing

75X32		80	94	70×59	53×40	8.5×11	4062-75
100×32		150	121.5	100×85	72×60	9×14	4062-100
125×38		180	150	104×83	72×60	9×14	4062-125
152×40		250	188	130×95	103×73	11×16	4062-152

Tocak 4062075 nosivost 80kg **250,00**
Tocak 4062100 nosivost 150kg **390,00**
Tocak 4062125 nosivost 180kg **650,00**
Tocak 4062152 nosivost 250kg **920,00**

4063

Točak od najlona sa valjkastim ležajevim, sa kočnicom



↗4063

● Nylon caster, roller bearing

									 (Roller bearing)
75X32		80	94	28	70×59	53×40	8.5	90	4063-75
100×32		150	121.5	36.5	102×84	72×60	9×14	118	4063-100
125×38		180	150	35.5	102×84	72×60	9×14	120	4063-125
152×40		250	188	48	131×104	105×77	11×16	156	4063-152

Tocak 4063075 nosivost 80kg **320,00**
Tocak 4063100 nosivost 150kg **590,00**
Tocak 4063125 nosivost 180kg **790,00**
Tocak 4063152 nosivost 250kg **1350,00**

6801

Stabilni gumeni točak na livenom aluminijumu, dupli kuglični ležajevi



↗6801

● Rubber caster mold on cast aluminium, double ball bearings

100X40		220	105X88	80X60	9X10.5	129	6801-100
125X40		300	105X88	80X60	9X10.5	154	6801-125

Tocak 6801100 nosivost 220kg **1584,00**
Tocak 6801125 nosivost 300kg **1690,00**

6802

*Okretni gumeni točak na livenom aluminijumu,
dupli kuglični ležajevi*



➤ 6802

● Rubber caster mold on cast aluminium, double ball bearings

								
100X40		220	106X86	80X60	9.5X11.5	129	36	6802-100
125X40		300	106X86	80X60	9.5X11.5	154	39	6802-125

Tocak 6802100 nosivost 220kg 1450,00
Tocak 6802125 nosivost 300kg 1650,00

6803



➤ 6803

● Rubber caster mold on cast aluminium, double ball bearings

								
100X40		220	106X86	80X60	9.5X11.5	129	40	117 6803-100
125X40		300	106X86	80X60	9.5X11.5	154	39	118 6803-125

Tocak 6803100 nosivost 220kg 1650,00
Tocak 6803125 nosivost 300kg 1820,00